

Multiplex gDNA Reference Standard

IMPORTANT: Centrifuge tube prior to opening to prevent loss of product

PRODUCT INFORMATION

| | |
|--------------------------|---|
| Catalog ID | HD730 |
| Batch ID | |
| Product Description | Tru-Q NGS DNA 3 Multiplex gDNA Reference Standard |
| Date of Manufacture | |
| Manufacturing QMS Status | ISO 13485 |

PROPERTIES

| | |
|--------------------|--|
| Quantity | 1 µg |
| Concentration | 50 ng/µL |
| Buffer | Tris-EDTA (10 mM Tris-HCl, 1 mM EDTA), pH 8.0 |
| Storage Conditions | +4°C (2-8°C) |
| Use by | For the latest information on product shelf life, please visit our website: https://horizondiscovery.com/products/diagnostic-reference-standards/reference-standards-product-information |

CUSTOMER SUPPORT

| | |
|-------------------|--|
| Technical Support | technical@horizondiscovery.com |
| Customer Service | orders@horizondiscovery.com |

ADDITIONAL INFORMATION

| |
|--|
| |
|--|

Horizon Discovery

8100 Cambridge Research Park,
Waterbeach, Cambridge,
CB25 9TL, United Kingdom
www.horizondiscovery.com/

t + 44 (0) 1223 976 000
f + 44 (0) 1223 655 581
e orders@horizondiscovery.com

QUALITY CONTROL

 Allele Frequency (AF) and Genotype: **Droplet Digital™ PCR**

| Gene | Variant | Expected AF (%) | Actual AF (%) | Acceptance Criteria (%) | | Pass/Fail |
|--------|------------|-----------------|---------------|-------------------------|-------|-----------|
| | | | | Low | High | |
| BRAF | V600E | 7.70 | | 6.16 | 9.24 | |
| BRAF | V600M | 3.80 | | 2.66 | 4.94 | |
| EGFR | G719S | 16.70 | | 15.03 | 18.37 | |
| EGFR | ΔE746-A750 | 4.20 | | 2.94 | 5.46 | |
| FLT3 | D835Y | 5.00 | | 4.00 | 6.00 | |
| GNA11 | Q209L | 5.00 | | 4.00 | 6.00 | |
| IDH1 | R132H | 5.00 | | 4.00 | 6.00 | |
| KRAS | A146T | 5.00 | | 4.00 | 6.00 | |
| KRAS | G12S | 5.00 | | 4.00 | 6.00 | |
| KRAS | G13D | 25.00 | | 22.50 | 27.50 | |
| MET | Y1253D | 3.60 | | 2.52 | 4.68 | |
| NRAS | Q61H | 5.00 | | 4.00 | 6.00 | |
| PIK3CA | E542K | 5.00 | | 4.00 | 6.00 | |
| PIK3CA | H1047R | 30.00 | | 27.00 | 33.00 | |

 Quality: **Agarose gel electrophoresis***

| Acceptance Criteria | Band Present/Absent | Pass/Fail |
|--------------------------------------|---------------------|-----------|
| Bright band of high molecular weight | | |

 Quantification: **Spectrophotometry (A260)***

| Acceptance Criteria | 50 ng/μL ± 4% (Accepted Range: 48-52 ng/μL) | |
|---------------------|---|--|
| | | |

*Quality Control Test occurs before gDNA is multiplexed

FOR RESEARCH USE ONLY

Manufactured in the UK

Horizon Discovery

 8100 Cambridge Research Park,
 Waterbeach, Cambridge,
 CB25 9TL, United Kingdom
www.horizondiscovery.com/

 t + 44 (0) 1223 976 000
 f + 44 (0) 1223 655 581
 e orders@horizondiscovery.com